UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/652,325	08/29/2003	William Joseph Butsch	9350	1633
	590 03/08/200 & GAMBLE COMP	EXAMINER		
INTELLECTUAL PROPERTY DIVISION WINTON HILL BUSINESS CENTER - BOX 161 6110 CENTER HILL AVENUE CINCINNATI, OH 45224			DEXTER, CLARK F	
			. ART UNIT	PAPER NUMBER
			3724	
·			•	
SHORTENED STATUTORY	PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
3 MON	3 MONTHS 03/08/2007 PAR		ED	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

		- M				
	Application No.	Applicant(s)				
	10/652,325	BUTSCH ET AL.				
Office Action Summary	Examiner	Art Unit				
	Clark F. Dexter	3724				
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet with the	correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING Description of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be to see the self will expire SIX (6) MONTHS from the cause the application to become ABANDON	DN. imely filed m the mailing date of this communication. IED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 08 3	January 2007.					
2a) This action is FINAL . 2b) ⊠ Thi	<u>_</u>					
3) Since this application is in condition for allows	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under	Ex parte Quayle, 1935 C.D. 11, 4	153 O.G. 213.				
Disposition of Claims						
4)⊠ Claim(s) <u>1,3-5,7 and 8</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1,3-5,7 and 8</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/	or election requirement.					
Application Papers						
9) The specification is objected to by the Examin	er.					
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
Applicant may not request that any objection to the	•					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)☐ The oath or declaration is objected to by the E	xaminer. Note the attached Offic	e Action or form PTO-152.				
Priority under 35 U.S.C. § 119	·					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:	n priority under 35 U.S.C. § 119(a	a)-(d) or (f).				
1. Certified copies of the priority documents have been received.						
	2. Certified copies of the priority documents have been received in Application No					
application from the International Burea						
* See the attached detailed Office action for a list	t of the certified copies not receiv	red.				
Attachment(e)						
Attachment(s) 1) Notice of References Cited (PTO-892)	4) 🔲 Interview Summar	nv (PTO 413)				
2) DNotice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail [Date				
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 5) Notice of Informal Patent Application 6) Other:						
· apar mo(s)/mair Date	o) [_] Ouler					

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on January 8, 2007 has been entered.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35

U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

3. Claims 1, 3 and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over McNeil, pn 4,919,351 in view of Nystrand et al., pn Re 28,353.

Regarding claims 1, 3 and 5, McNeil discloses an apparatus with almost every structural limitation of the claimed invention including

a bedroll (e.g., 21) having a circumference, the bedroll being disposed such that the web material passes around at least a portion of the circumference of the bedroll in a direction of travel of the web material, wherein the bedroll is disposed generally transverse to the direction of travel of the web material, the bedroll comprising a shell and a bedroll chop off assembly (e.g., 31 33), the bedroll chop off assembly comprising at least one web pin (e.g., 33) and at least one bedroll blades (e.g., 31) having a distal portion, the bedroll blade being disposed generally transverse to the direction of travel of the web material at a bedroll blade spacing, wherein the distal portions of the at least one bedroll blade and the at least one web pin are capable of extending beyond the shell of the bedroll, wherein the bedroll rotates at a first blade pass frequency,

b) a chop off roll (e.g., 23) disposed proximate and generally parallel to the bedroll, the chop off roll comprising at least one pin pad (e.g., 34, 34) capable of circumferentially interfering with the at least one web pin, the chop off roll further comprising at least two chop off roll blades (e.g., 32) disposed generally transverse to the direction of travel of the web at a chop off roll blade spacing, the at least two chop off roll blades being capable of rotationally meshing with the at least one bedroll blade,

and wherein the chop off roll rotates at a second blade pass frequency, wherein the second blade pass frequency is distinct from the first blade pass frequency (e.g., as described in col. 5, lines 36, component 23 rotates clockwise at three times the angular rate of rotation as component 21).

[claim 3] wherein the bedroll comprises at least two bedroll blades (e.g., 31) disposed at a bedroll blade spacing;

[claim 5] wherein the at least one web pin passes through at least a portion of the at least one pin pad.

McNeil lacks the at least one bedroll blade having a serrated web contacting edge. Nystrand '353 discloses such a bedroll blade (e.g., 59, see Fig. 10) having a serrated web contacting edge (e.g., 59a, 59b) and teaches that during operation, "the web is impaled upon the teeth 59b" thus facilitating the applying of tension to the web. Therefore, it would have been obvious to one having ordinary skill in the art to provide a serrated web contacting edge on the bedroll blade of McNeil for the benefits taught by Nystrand '353 including that described above.

4. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of McNeil, pn 4,919,351 in view of Nystrand et al., pn Re 28,353 as applied to claims 1 and 3 above, and further in view of Wilson et al., pn 6,851,642.

The combination discloses and/or teaches an apparatus with almost every structural limitation of the claimed invention as described above, but lacks the bedroll blade spacing being distinct from the chop off roll blade spacing. Wilson discloses an apparatus wherein the bedroll blade spacing being distinct from the chop off roll blade

spacing and teaches that such a relationship is beneficial and contributes to a particularly efficient web cutting event with relative little damage and wear of the chopper roll blades (e.g., see col. 5, lines 7-13). Therefore, it would have been obvious to one having ordinary skill in the art to provide the bedroll blade spacing being distinct from the chop off roll blade spacing for the benefits taught by Wilson including those described above.

5. Claims 7 and 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of McNeil, pn 4,919,351 in view of Nystrand et al., pn Re 28,353 as applied to claim 1 above, and further in view of Ba Dour, Jr. et al., pn 6,179,241.

The combination discloses and/or teaches an apparatus with almost every structural limitation of the claimed invention as described above, and further includes the at least one pin pad is capable of circumferentially interfering with at least one of the web pins, and wherein the chop off roll further comprises a plurality of web pads (e.g., 34, 34) disposed generally transverse to the direction of travel of said web, and wherein at least one of the chop off roll blades is capable of rotationally meshing with the at least one bedroll blade.

McNeil lacks the at least two chop off roll blades comprising three blades disposed generally parallel each to the others and generally transverse to the direction of travel of the web. More specifically, McNeil discloses an embodiment wherein the chop off roll comprises two blades (e.g., see Fig. 3) but does not disclose an embodiment wherein the chop off roll comprises at least three blades. However, it is old and well known in the art, particularly the web cutting/separating arts, to provide more

Page 6

than one cutting/separating assembly on a roll. As one example, it is old and well known in the art to provide two cutting/separating assemblies on a rotating component 180 degrees apart and that such a configuration provides well known benefits including providing a more efficient operation wherein the rotating component can be rotated at half speed to provide the same number of cuts/separations, or the component can be rotated at the same speed to provide twice the number of cuts/separations. Such a configuration also provides the well known benefit of facilitating less maintenance and longer runs because the cutting/separating assemblies are used half as much. Ba Dour, Jr. discloses one example of providing two cutting assemblies that have the same configuration 180 degrees apart. Therefore, it would have been obvious to one having ordinary skill in the art to provide a second cutting/separating assembly on the apparatus of McNeil (e.g., on the opposing flat surface 44) for the well known benefits including those described above.

Response to Arguments

Applicant's arguments filed January 8, 2007 have been fully considered but they 6. are not persuasive.

The following is in response to applicant's arguments on pages 6-7 of the subject response.

First, it is emphasized that the claims are directed to an apparatus, not a method, and thus must be considered as such.

Next, applicant points out that the claims require the bedroll and the chop off roll to rotate at different frequencies. Then, applicant explains that the rolls of McNeil as disclosed are not operated in such a manner. Then, applicant concludes that whether McNeil's apparatus is capable of such relative frequencies is irrelevant since the reference "requires" the rolls to operate at the same frequency.

The Examiner respectfully disagrees with applicant's analysis. Upon review of McNeil's disclosure, particularly col. 5, lines 32-38, while it may be argued that the blades of the rolls have the same blade pass frequency, it is clear that rolls 21 and 23 rotate at different frequencies.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Clark F. Dexter whose telephone number is (571)272-4505. The examiner can normally be reached on Mondays, Tuesdays, Thursdays and Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Boyer D. Ashley can be reached on (571)272-4502. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Clark F. Dexter Primary Examiner Art Unit 3724

cfd⁻ March 5, 2007